INDEX TO VOLUME 84

The Index for Volume 84 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Abdel-Galil, F. A. see Moharram et al. 930
Abu, El Saad M. see Bokhary et al. 613
Abu-Zinada, A. H. see Bokhary et al. 613
Adaptation
  Flammulina velutipes 219–227
Aerobiology
  Calvatia spp. 759–766
Aflatoxin biosynthesis
  Aspergillus 913–915
Ajello, L. see Arora et al. 606
Ajoene
  effect on Phytophthora drechsleri 105–108
Allergens
  Calvatia spp. 759–766
Allozymes
  Agaricus bisporus 575–579
Alvarez, I. F., J. Parladé and J. M. Trappe. Loculotuber gennadii gen. et comb. nov. and Tuber multimaculatum sp. nov. 926–929
An, Z.-Q. see Guo et al. 882
Anders, D. A. see Desjardin et al. 229
Anderson, J. B. see Kerrigan et al. 575
Anderson, J. B. and E. Stasovski. Molecular phylogeny of Northern Hemisphere species of Armillaria. 505–516
Anderson, R. C. see Banerjee and Anderson 843
Ang, Ö. see Tümbay et al. 271
Ann, P. J. and W. H. Ko. Survey of antibiotic resistance and dependence in Phytophthora. 82–86
Antibiotic resistance
  Phytophthora 82–86
Antibus, R. K. [Review of] Handbook of applied mycology. Vol. 1—Soil and plants. 605–606
Apical growth
  Sclerotium rolfsii 41–49
Aragaki, M. see Uchida and Aragaki 810
Aromatic lichen products
  Ramalina siliquosa 705–714
Aronson, J. M. see Bertke and Aronson 571
Arora, D. K. see Bhatnagar et al. 949
Arora, D. K., L. Ajello and K. G. Mukerji, Eds. Handbook of applied mycology. Vol. 2—Humans, animals, and insects; review 606–607
Arora, D. K., R. P. Elander and K. G. Mukerji, Eds. Handbook of applied mycology, vol. 4—Fungal biotechnology; review 948–949
Arora, D. K., K. G. Mukerji and E. H. Marth, Eds. Handbook of applied mycology. Vol. 3—Foods and feeds; review 607–608
Arora, D. K., B. Rai, K. G. Mukerji and G. R. Knudsen, Eds. Handbook of applied mycology. Vol. 1—Soil and plants; review 605–606
Bagy, M. M. K. see Moharram et al. 930
Baller, L. M. see Kerrigan et al. 575
Banerjee, P. and R. C. Anderson. Long-term effects of soil fumigation and inorganic nutrient addition on the rhizoplane mycoflora of little bluestem (Schizachyrium scoparium). 843–848
Banik, M. T. see Larsen et al. 214
Bärlocher, F. see Sridhar and Bärlocher 580
Baroni, T. J. and R. E. Halling. New species of Rhodocybe from South America with a key to species. 411–421
Barr, D. J. Evolution and kingdoms of organisms from the perspective of a mycologist. 1–11
Barron, G. L. [Review of] The biodiversity of microorganisms and invertebrates: its role in sustainable agriculture. 951–952
Batra, L. R. World species of Monilinia (fungi): their ecology, biosystematics and control; review 268
Baura, G., T. M. Szaro and T. D. Bruns. Gastrosuillus laricinus is a recent derivative of Suillus grevillei: molecular evidence. 592–597
Bécard, G. see Chabot et al. 315
Beglinger, C. see Michailides et al. 488
Benjamin, R. K. see Benny et al. 615
Bennett, J. W. [Review of] Handbook of applied mycology, vol. 4—Fungal biotechnology. 948–949
———. see Wunch et al. 913
Benny, G. L. Observations on Thamnidiaceae (Mucorales). V. Thamnidium. 834–842
Benny, G. L. and M. A. A. Schipper. Observations on Thamnidiaceae (Mucorales). IV. Pirella. 52–63
Benny, G. L., R. K. Benjamin and P. M. Kirk. A reevaluation of Cunninghamellacea (Mucorales). Sigmoidiomycetaceae fam. nov. and Reticulocephalis gen. nov.; cladistic analysis and description of two new species. 615–641
Bentivenga, S. P. and B. A. D. Hetrick. The effect of prairie management practices on mycorrhizal symbiosis. 522–527
Berch, S. M. see Xiao and Berch 470
Berkeley C. J.
  drawings by 911–912
Bermudes, D. see Petersen and Bermudes 209
Bermudes, D., R. H. Petersen and K. H. Nealson. Low-level bioluminescence detected in Mycena haematopus ' asidiocarps. 799–802
Berndt, R. and F. Oberwinkler. Ultrastructure of septal pores of mycorrhiza-forming Ascomycetes. 360–366
Bertke, C. C. and J. M. Aronson. Hyphal wall composition of Lagenidium giganteum. 571–574
Besl, H. see Bresinsky and Besl 128
Bhatnagar, D. see Wunch et al. 913
Bhatnagar, D., E. B. Lillehoj and D. K. Arora, Eds. Handbook of applied mycology: Vol. 5—Mycotoxins in ecological systems; review 949–950
Biographies
  Dowding E. S. 485–487

Hawker L. E. 154–156
Bioerosion
thraustochytrids 289–298
Biogeography
Amoebidiales 376–383
Marasmius spp. 204–207
Trichomycetes in Australia 392–398
Biological species
Armillaria 214–218
Fusarium moniliforme and Gibberella fujikuroi 541–546
Bioluminescence
Mycena haematopus 799–801
Panellus stypticus 94–104, 0209
Blanchette, R. A., B. D. Compton, N. J. Turner and R. L. Gilbertson. Nineteenth century shaman grave guardians are carved Fomitopsis officinalis sporophores. 119–124
Blaszkowski, J. Scutellospora armeniaca, a new species in Glomales (Zygomycetes) from Poland. 939–944
Bokhary, H. A., A. H. Abu-Zinada and El Saad M. Abu, Eds. Microbiology of Saudi Arabia (1841–1986); review 613
Bothrosome
thraustochytrids 289–298
Breeding genetics
Agaricus bisporus 575–579
Breitenbach, J. and F. Kränzlin. Fungi of Switzerland, Vol. 3—Boletes and Agarics 1st Part; review 598
Bresinsky, A. see Fischer and Bresinsky 823
Bresinsky, A. and H. Besl. A colour atlas of poisonous fungi; review 128–129
Broschat, T. K. see Chase and Broschat 132
Brotzman, H. G. see Brown and Brotzman 132
Brown, E. A. see Hanlin et al. 650
Brown, M. F. and H. G. Brotzman. Phytopathogenic fungi: a scanning electron stereoscopic survey; review 132
Brown rot
Postia placenta 815–821
Brownson, M. see Wood et al. 935
Bruns, T. D. see Baura et al. 592
Burdon, J. J. and S. R. Leather, Eds. Pests, pathogens and plant communities; review 600
Burdsall, H. H., Jr. see Darmono and Burdsall 367
———. see Larsen et al. 214
Buschman, L. L. see Dick et al. 729
Butler, E. E. [Review of] Plant diseases: their biology and social impact. 267
C-T transition bias
Suillus and Gastrosuillus 592–596
Calcareous shells
fungi associated 289–298
Calvo, Mª. A. see Larrondo and Calvo 475
Cao, Jin-Zhong, Li Fan and Bo Liu. Notes on the genus Galiella in China. 261–263
Carbonate
growth of thraustochytrids 289–298
Carreiro, M. M. and R. E. Koske. Room temperature isolations can bias against selection of low temperature microfungi in temperate forest soils. 886–900
Carris, L. M. Vaccinium fungi: Pseudotracylla falcata sp. nov. 534–540
Castañeda Ruiz, R. F. and B. Kendrick. Conidial fungi from Cuba: I and II; review 275
Castillo, J. see Cázares et al. 341
Cauwenbergh, G. see Vanden et al. 133
Caves
cellular slimes molds 399–405
Cázares, E., J. Garcia, J. Castillo and J. M. Trappe. Hypogeous fungi from northern Mexico. 341–359
Cell wall composition
Lagenidium giganteum 571–573
Chabot, S., G. Bécard and Y. Piche. Life cycle of Glomus intraradix in root organ culture. 315–321
Chang, L.-H. see Hanlin et al. 650
Chang, T. T., X. Y. Yang and W. H. Ko. A sensitive method for detecting production of extracellular enzymes by fungi on solid media. 923–926
Chase, A. R. and T. K. Broschat, Eds. Diseases and disorders of ornamental palms; review 132
Chauhan, V. B. see Singh et al. 105
Chelkowski, J. Ed. Cereal grain: mycotoxins, fungi and quality drying and storage—developments in food science 26; review 952
Chemotaxis
Catenaria anguillulae 109–112
Chen, J. L. see Tzean et al. 739
———. see Tzean et al. 781
Chi-Guang, Wu and J. W. Kimbrough. Ultrastructural studies of ascosporogenesis in Ascobolus immersus. 459–466
Chilton, W. S. see Venkatasubbaiah et al. 715
Chloramphenicol resistance
Phytophthora 82–86
Clark, J. The myxamoebae of Didymium iridis and Physarum polycephalum are immortal. 116–118
Cochran, K. W. [Review of] A colour atlas of poisonous fungi. 128–129
Cole, G. T. and H. C. Hoch, Eds. The fungal spore and disease initiation in plants and aninals; review 129–130
Colony morphology
Armillaria mellea 367–374
Compton, B. D. see Blanchette et al. 119
Conidiogenesis
Ophiostoma francke-grosmanniae 857–862
Constaninescu, O. An annotated list of Peronospora names—Thunbergia 15; review 953–954
Contolini, C., K. W. Hughes and R. H. Petersen. Characterizaiton of the mitochondrial genome of Clavicorona pyxidata. 517–521
Converse, R. H. see Ellis et al. 953
Cook, R. J., G. A. Zentmeyer and E. B. Cowling. Annual review of phytopathology, volume 29; review 275–276
Cooke, L. R. see Lücas et al. 608
Cooke, M. A., P. Widden and I. O'Halloran. Morphology, incidence and fertilizaton effects on the vesicular-arbuscular mycorrhizae of Acer saccharum in a Quebec hardwood forest. 422–430
Corlett, M. An annotated list of published names in Mycosphaerella and Sphaerella; review 275
Cowling, E. B. see Cook et al. 275
Crane, J. L. [Review of] Conidial fungi from Cuba: I and II. 275
Crane, J. L. and C. A. Shearer. A nomenclator of Lep-

tosphaeria V. Cesati and G. de Notaris (Mycota, Ascomycotina, Loculoascomycetes); review 276
Crane, J. L., C. A. Shearer and S. M. Huhndorf. A new species of Byssothecium (Loculoascomycetes) from wood in fresh water. 235–240
Crous, P. W., A. J. L. Phillips and M. J. Wingfield. Effects of cultural conditions on vesicle and conidium morphology in species of Cylindrocladium and Cylindrocladiella. 497–504
Culberson, C. F., W. L. Culberson and A. Johnson. Characteristic lichen products in cultures of chemotypes of the Ramalina siliquosa complex. 705–714
Culberson, W. L. see Culberson et al. 705
Culture characteristics
Armillaria ostoyae 863–868
Bjerkandera fumosa 406–409
Cylindrocladium and Cylindrocladiella 497–503
Catathelasma imperiale 472–475
endophytes 431–440
Currah, R. S. see Schalkwijk-Barendsen et al. 485
Cytoskeleton
Sclerotium rolfsii 41–49
DNA content
Phellinus torulosus 823–831
DNA relatedness
Armillaria 505–515
Cephaloascaceae 870–880
Pichia 72–76
Darmono, T. W. and H. H., Burdsall, Jr. Morphological characteristics of incompatibility reactions and evidence for nuclear migration in Armillaria mellea. 367–375
Dedikaryotizaion
Pleurotus ostreatus 173–181
Deploey, J. J. Some factors affecting germination of Rhizomucor miehei sporangiospores. 77–81
Depsidones
Ramalina siliquosa 705–714
Dery, P. D. see Kulik and Dery 87
Desjarden, D. E. [Review of] Mushrooms of North America. 598
Desjardin, D. E., D. A. Anders and J. C. Zak. Marasmius inaquosi sp. nov. from Sonoran desert woodrat middens. 229–234
Detection of extracellular enzymes 923–926
Development
Kriegeria eriophori 668–676
Puccinia zoysiae 87–93
Dey, J. P. [Review of] Tropical lichens: their systematics, conservation and ecology. 611–612
Di-mon matings
Pisolithus arhizus 659–665
Dick, G. L., L. L. Buschman and W. A. Ramoska. Description of a species of Neozygites infecting Oligonychus pratensis in the western Great Plains of the United States. 729–738
Dispersal mechanisms
Marasmius inaquosi 229–234
Dispersal
Mucor piriformis 488–496
cellular slime molds 399–405
Distribution
cellular slimes molds in caves 399–405
Diversity indexes
Uromyces appendiculatus 329–339
Dorworth, E. B. see Lombard et al. 406
Doubles, J. C. and D. J. McLaughlin. Basidial development, life history, and the anamorph of Kriegeria eriophori. 668–678
Drouchet, E. see Vanden et al. 133
Dupont, B. see Vanden et al. 133
Ecology
Boletinellus merulioides 528–533
Marasmius inaquosi in woodrat middens 229–234
endolithic thraustochytrids 289–298
forest soil fungi 886–898
rhizoplane fungi 843–847
vesicular-arbuscular mycorrhizae 422–429
vesicular-arbuscular mycorrhizae and Acremonium 882–885
vesicular-arbuscular mycorrhizae in tallgrass prairie 522–527
Elander, R. P. see Arora et al. 948
Ellis, M. A., R. H. Converse, R. N. Williams and B. Williamson, Eds. Compendium of raspberry and blackberry disease and insects; review 953
Elmer, W. H. and F. J. Ferrandino. Pathogenicity of Fusarium species (section Liseola) to asparagus. 253–257
Endophytes 431–440
Enzyme production
Kretzschmaria 923–926
Epispore
Ascobolus immersus 459–465
Erwin, D. C. [Review of] Phytophthora. 608–609
Ethnomycology
Fomitopsis officinalis 119–123
Evans, H. C. see Samson and Evans 300
Eveleigh, E. S. see Strongman and Eveleigh 937
Fan, Li see Cao et al. 261
Ferrandino, F. J. see Elmer and Ferrandino 253
Ferriss, R. S. see Guo et al. 882
Fischer, M. and A. Bresinsky. Phellinus torulosus: sexuality and evidence of intersterility groups. 823–833
Flagellar apparatus
Apodachlya pyrifera 768–778
Fleming, L. V. see Ingleby et al. 945
Fogel, R. Utility of spore length/width ratio in separating Geopora cooperi form cooperi and G.cooperi f. gilkeyae. 124–127
Forest fertilization
vesicular-arbuscular mycorrhizae 422–429
Forest soil fungi 886–898
Fossil fungi
associated with Palaeonitella 901–909
French, R. C. Volatile chemical germination stimulators of rust and other fungal spores. 277–288
Fumigation
effect on rhizoplane mycoflora 843–847
Galloway, D. J. Ed. Tropical lichens: their systematics, conservation and ecology; review 611–612
Garcia, J. see Cázares et al. 341
Gargas, A. and J. W. Taylor. Polymerase chain reaction (PCR) primers for amplifying and sequencing nuclear 18S rDNA from lichenized fungi. 589–592

Genetic complementation
Panellus stypticus 94–104
Genetics
Armillaria ostoyae 863–868
Sphaeronaemella helvellae 849–856
Geographical distribution
Panellus stypticus 209–212
Germination
fungal spores 277–286
Gessner, see Jones et al. 133
Gessner, R. V. [Review of] A nomenclator of Leptosphaeria V. Cesati and G. de Notaris (Mycota, Ascomycotina, Loculoascomycetes). 276
———. [Review of] Agricultural chemicals, book IV. Fungicides. 276
———. [Review of] An annotated list of Peronospora names—Thunbergia 15. 953–954
———. [Review of] Annual review of phytopathology, volume 29. 275–276
———. [Review of] Common poisonous plants and mushrooms of North America. 273–274
———. [Review of] Compendium of bean diseases. 133
———. [Review of] Compendium of raspberry and blackberry disease and insects. 953
———. [Review of] Compendium of rice diseases. 953
———. [Review of] Diseases and disorders of ornamental palms. 132
———. [Review of] Microbiology of Saudi Arabia (1841–1986). 613
———. [Review of] Mushrooms and Truffles of the Southwest. 128
———. [Review of] Mycotaxon cumulative index for volumes XXI-XL (1984–1991). 613
———. [Review of] Phytopathogenic fungi: a scanning electron stereoscopic survey. 132
———. [Review of] Yeast technology, second edition. 945
Giemsa
use for staining nuclei 585–588
Gilbertson, R. L. see Blanchette et al. 119
Goettel, M. S. see Inglis et al. 555
Goos, R. D. see Morgan-Jones and Goos 921
Goos, R. D. and F. A. Uecker. New species and additional records of fungi from Hawaii. 322–328
Gordon, S. A. and R. H. Petersen. Interbreeding populations of some Marasmius species. 204–208
Griffin, D see Heath and Griffin 601
Groth, J. V. see McCain et al. 329
Growth inhibition
Aspergillus 791–793
Gruff, S. C. see Korf and Gruff 613
Gruhn, A. V. see Gruhn et al. 528
Gruhn, C. M., A. V. Gruhn and O. K. Miller, Jr. Boletinellus merulioides alters root morphology of Pinus densiflora without mycorrhizal formation. 528–533
Gubler, W. D. see Gunnell and Gubler 157
Gunnell, P. S. see Webster and Gunnell 953
Gunnell, P. S. and W. D. Gubler. Taxonomy and morphology of Colletotrichum species pathogenic to strawberry. 157–165
Guo, B. Z., J. W. Hendrix, An Z.-Q. A and R. S. Ferriss. Role of Acremonium endophyte of fescue on inhibition of colonization and reproduction of mycorrhizal fungi. 882–885
H., H. see Kope and H. 659
Hall, L. see Jacobs and Hall 604
Hall, R. Ed. Compendium of bean diseases; review 133
Halling, R. E. [Review of] Fungi of Switzerland, Vol. 3—Boletes and Agarics 1st Part. 598
———. see Baroni and Halling 411
Hanlin, R. T. see Wu and Hanlin 241
Hanlin, R. T., B. Jiménez, Chang L.-H. C and E. A. Brown. Crumenulopsis atropurpurea comb. nov., from Japanese red pine in Georgia. 650–658
Harman, G. E. see Sivan et al. 687
Harrington, T. C. see Rizzo and Harrington 863
———. see Zambino and Harrington 12
Haskins, E. F. and A. A. Hinchee. Spore germination in Echinostelium minutum. 916–920
Hass, H. see Taylor et al. 901
Hausner, G., J. Reid and G. R. Klassen. Do galeate-ascospore members of the Cephaloascaceae, Endomycetaceae and Ophiostomataceae share a common phylogeny?. 870–881
Hawksworth, D. L. Ed. The biodiversity of microorganisms and invertebrates: its role in sustainable agriculture; review 951–952
Hayes, C. K. see Sivan et al. 687
Heath, I. B. Ed. Tip growth in plant and fungal cells. 601
Hemmat, M. see Sivan et al. 687
Hemmes, D. E. see Rogers et al. 166
Hendrix, J. W. see Guo et al. 882
Hesseltine, C. W. [Review of] Handbook of applied mycology. Vol. 3—Foods and feeds. 607–608
Heterokaryons
Trichoderma 687–693
Heterothallism
Sphaeronaemella helvellae 849–856
Hetrick, B. A. D. see Bentivenga and Hetrick 522
Hinchee, A. A. see Haskins and Hinchee 916
Ho, H. H., A. Nakagiri and S. Y. Newell. A new species of Halophytophthora from Atlantic and Pacific subtropical islands. 548–554
Hoch, H. C. see Cole and Hoch 129
Homokaryon identification
Agaricus bisporus 575–579
Horak, E. see Miller and Horak 64
Horgen, P. A. see Kerrigan et al. 575
Horner, W. E. see Levetin et al. 759
Howard, D. H. [Review of] Fungal infection in the compromised host. 268–269
Hsieh, L. S. see Tzean et al. 781
Hsieh, T. F. see Tu et al. 695
Hughes, K. W. see Contolini et al. 517
Huhndorf, S. M. Neotropical Ascomycetes I. Valsonectria cinnamomi in artifical culture. 642–649
———. Neotropical ascomycetes 2. Hypsostroma, a new genus from the Dominican Republic and Venezuela. 750–758
———. see Crane et al. 235
Humber, R. A. [Review of] Biotechnology of fungi for improving plant growth. 601–602
Humidity
Flammulina velutipes 219–227
Hutchison, L. J. Host range, geographical distribution

and probable ecological status of Catathelasma imperiale in North America. 472–475
———. see Ingleby et al. 945
Hyde, K. D. The genus Saccardoella from intertidal mangrove wood. 803–810
Ichnology
thraustochytrids 289–298
Illustrations
by C. J. Berkeley 911–912
Immunocytochemistry
Sclerotium rolfsii 41–49
Incompatibility genotype
Armillaria mellea 367–374
Incompatibility
Armillaria mellea 367–374
Incubation temperature
effect on fungi recovered from soil 886–898
Indole
Coprinus picaceus 264–266
Indole-3–acetic acid
Boletinellus merulioides 528–533
Infection process
Ustilago maydis 193–202
Ingleby, K., P. A. Mason, F. T. Last, L. V. Fleming and L. J. Hutchison. Identification of ectomycorrhizas. 945–946
Inglis, G. D., L. Sigler and M. S. Goettel. Trichosporonoides megachiliensis, a new hyphomycete associated with alfalfa leafcutter bees, with notes on Trichosporonoides and Moniliella. 555–570
Ingram, D. S. and P. H. Williams, Eds. Advances in pathology, Vol. 7, Phytophthora infestans, the cause of late blight of potato; review 269–270
Inhibition by ajoene
Phytophthora drechsleri 105–108
Inorganic nutrients
effect on rhizoplane mycoflora 843–847
Internal transcribed spacer
Suillus and Gastrosuillus 592–596
Intramixis
Agaricus bisporus 575–579
Isozymes
Armillaria ostoyae 863–868
Leptographium taxonomy 12–23
variation in Uromyces appendiculatus 329–339
Jacobs, P. H. and L. Hall, Eds. Antifungal drug therapy; review 604
Jansson, H.-B. and L. Thiman. A preliminary study of chemotaxis of zoospores of the nematode parasitic fungus Catenaria anguillulae. 109–112
Jiménez, B. see Hanlin et al. 650
Johnson, A. see Culberson et al. 705
Jones, J. B., J. P. Jones, R. E. Stall, T. A. Zitter and R. V. Gessner, Eds. Compendium of tomato diseases. 133
Jones, J. P. see Jones et al. 133
Ju, Y.-M. see Rogers et al. 166
K2-body
Apodachlya pyrifera 768–778
Kay, E. and R. Vilgalys. Spatial distribution and genetic relationships among individuals in a natural population of the oyster mushroom Pleurotus ostreatus. 173–182
Kendrick, B. The fifth kingdom; review 610
———. see Castaneda and Kendrick 275
Kerrigan, R. W., L. M. Baller, P. A. Horgen and J. B. Anderson. Strategies for the efficient recovery of Agaricus bisporus homokaryons. 575–579
Key
Crumenulopsis 656
Gibellula spp. 314
Loculoascomycetes with pigmented ascospores and germ slit 757
Pirella 53
Reticulocephalus 635
Rhodocybe of South America 419–420
Saccardoella 809
Sarawakus species 37–38
Sigmoideomyces 629
Thamnocephalis 622
Trichosporonoides and Moniliella 568–569
Kile, G. A. see Shaw and Kile 270
Kimbrough, J. W. [Review of] World species of Monilinia (fungi): their ecology, biosystematics and control. 268
———. see Chi-Guang and Kimbrough 459
Kirk, P. M. see Benny et al. 615
Klassen, G. R. see Hausner et al. 870
Klich, M. A. [Review of] Cereal grain: mycotoxins, fungi and quality drying and storage—Developments in food science 26. 952
Klittich, C. J. R. and J. F. Leslie. Identification of a second mating population within the Fusarium moniliforme anamorph of Gibberella fujikuroi. 541–547
Knudsen, G. R. see Arora et al. 605
Ko, W. H. see Ann and Ko 82
———. see Chang et al. 923
Kohn, L. M. Developing new characters for fungal systematics: an experimental approach for determining the rank of resolution. 139–153
Kope H. H. Interactions of heterokaryotic and homokaryotic mycelium of sibling isolates of the ectomycorrhizal fungus Pisolithus arhizus. 659–667
Korf, R. P. and S. C. Gruff. Mycotaxon cumulative index for volumes XXI-XL (1984–1991); review 613
Koske, R. E. see Carreiro and Koske 886
Kränzlin, F. see Breitenbach and Kränzlin 598
Kulik, M. M. and P. D. Dery. A bright-field and scanning electron microscopic study of the development of Puccinia zoysiae on Zoysia species and Paederia scandens. 87–93
Kumar, A. see Singh et al. 105
Kurtzman, C. P. DNA relatedness among phenotypically similar species of Pichia. 72–76
———. [Review of] Saccharomyces, Biotechnology handbooks—4. 272–273
Laatsch, H. and L. Matthies. The characteristic ordor of Coprinus picaceus: a rapid enrichment procedure for apolar, volatile indoles. 264–266
Landolt, J. C., S. L. Stephenson and C. W. Stihler. Cellular slime molds in West Virginia caves including notes on the occurrence and distribution of Dictyostelium rosarium. 399–405
Largent, D. L. see Wood et al. 935
Larrondo, J. V. and Mª. A. Calvo. New contributions to the study of the genus Arthrinium. 475–478

Larsen, M. J. see Lombard et al. 406
Larsen, M. J., M. T. Banik and H. H., Burdsall, Jr. Clamp connections in North American Armillaria species: occurrence and potential application for delimiting species. 214–218
Last, F. T. see Ingleby et al. 945
Leaf-culture
Athelia rolfsii 695–703
Leather, S. R. see Burdon and Leather 600
Lehrer, S. B. see Levetin et al. 759
Leslie, J. F. see Klittich and Leslie 541
Levetin, E., W. E. Horner and S. B. Lehrer. Morphology and allergenic properties of basidiospores from four Calvatia species. 759–767
Lichtwardt, R. W. [Review of] Handbook of applied mycology. Vol. 2—Humans, animals, and insects. 606–607
Lichtwardt, R. W. and M. C. Williams. Tasmanian Trichomycete gut fungi in aquatic insect larvae. 384–391
———. Two new Australasian species of Amoebidiales associated with aquatic insect larvae, and comments on their biogeography. 376–383
———. Western Australian species of Smittium and other Trichomycetes in aquatic insect larvae. 392–398
Life cycle
Glomus intraradix 315–320
Life history
Mucor piriformis 488–496
Lillehoj, E. B. see Bhatnagar et al. 949
Lingle, W. L. see Porter and Lingle 289
Lingle, W. L., D. Porter and D. J. O'Kane. Preliminary analysis of genetic complementation of bioluminescence in Panellus stypticus isolated from pine and hardwood. 94–104
Liou, J. Y. and S. S. Tzean. Stephanocysts as nematode-trapping and -infecting propagules. 786–790
Liu, Bo see Cao et al. 261
Lombard, F. F., M. J. Larsen and E. B. Dorworth. Reassessment of the sexual imcompatibility system and cultural characteristics of Bjerkandera fumosa. 406–410
Longcore, J. E. Morphology and zoospore ultrastructure of Chytriomyces angularis sp. nov. (Chytridiales). 442–451
———. Morphology, occurrence and zoospore ultrastructure of Podochytrium dentatum sp. nov. (Chytridiales). 183–192
Lowy, B. [Review of] Diccionario Illustrado de micologia. 610–611
Lücas, J. A., R. C. Shattock, D. S. Shaw and L. R. Cooke, Eds. Phytophthora; review 608–609
Lümsden, R. D. see Whipps and Lümsden 601
MacKenzie, D. W. R. see Vanden et al. 133
Madelin, M. F. Lilian Edith Hawker, 1908–1991. 154–156
Malloch, D. [Review of] Modern concepts in Penicillium and Aspergillus classification. 946–947
Management practices
vesicular-arbuscular mycorrhizae in tallgrass prairie 522–527
Marth, E. H. see Arora et al. 607
Mason, P. A. see Ingleby et al. 945
Mating compatability
Phellinus torulosus 823–831
Mating interactions
Pisolithus arhizus 659–665
Mating populations
Fusarium moniliforme and Gibberella fujikuroi 541–546
Mating systems
Bjerkandera fumosa 406–409
Marasmius spp. 204–208
Panellus stypticus 209–212
Matthies, L. see Laatsch and Matthies 264
McCain J.W., J. V. Groth and A. P. Roelfs. Inter- and intrapopulation isozyme variation in collections from sexually reproducing populations of the bean rust fungus, Uromyces appendiculatus. 329–340
McGinnins, M. R. [Review of] Mycoses in AIDS patients. 133
McKnight, K. B. Evolution of Flammulina velutipes basidiocarp size with respect to relative humidity. 219–228
McLaughlin, D. J. see Doubles and McLaughlin 668
Medicinal fungi
Fomitopsis officinalis 119–123
Meyers, S. P. [Review of] Yeast strain selection. 603
Micales, J. A. Proteinases of the brown-rot fungus Postia placenta. 815–822
Michailides, T. J., D. P. Morgan, R. A. Spotts, C. Beglinger and Odiët P.-A. O. Role of nitidulid beetles and vinegar flies in the sexual cycle of Mucor piriformis in tree fruit orchards. 488–496
Miller, O. K., Jr. Three new species of Amanita from Western Australia. 679–686
Miller, O. K. Jr. see Gruhn et al. 528
Miller, O. K., Jr. and E. Horak. Observations on the genus Torrendia and a new species from Australia. 64–71
Miller, O. K. [Review of] Armillaria root disease. 270–271
Mims, C. W. [Review of] The fungal spore and disease initiation in plants and aninals. 129–130
———. see Snetselaar and Mims 193
Mitchell, T. G. [Review of] Candida and candidamycosis. 271–272
Moharram, A. M., M. M. K. Bagy and F. A. Abdel-Galil. Fungi associated with the sand termite Psammotermes hypostoma in Assiut, Egypt. 930–935
Molecular characters
determining rank of resolution 139–153
Molecular evolution
Cephaloascaceae 870–880
Suillus and Gastrosuillus 592–596
Morgan, D. P. see Michailides et al. 488
Morgan-Jones, G. and R. D. Goos. Chloridium virescens and Helicosporium virescens, binominals for different fungi based on the same basionym Dematium virescens. 921–923
Mouton, M., M. J. Wingfield and P. S. van Wyk. The anamorph of Ophiostoma francke-grosmanniae is a Leptographium. 857–862
Mukerji, K. G. see Arora et al. 605
———. see Arora et al. 606
———. see Arora et al. 607

———. see Arora et al. 948
Mycopathogenic
Sphaeronaemella helvellae
Nagodawithana, T. W. see Reed and Nagodawithana 945
Nakagiri, A. see Ho et al. 548
Nealson, K. H. see Bermudes et al. 799
Nelson, P. E. see Onyike and Nelson 452
Newell, S. Y. see Ho et al. 548
Nitrogen metabolism
Postia placenta 815–821
Nuclear migration
Armillaria mellea 367–374
Armillaria ostoyae 863–868
Pisolithus arhizus 659–665
Nuclear staining 585–588
O'Halloran, I. see Cooke et al. 422
O'Kane, D. J. see Lingle et al. 94
Oberwinkler, F. see Berndt and Oberwinkler 360
Odiét, P.-A. see Michailides et al. 488
Odor
Coprinus picaceus 264–266
Hebeloma sacchariolens 935–936
Oliver, S. G. see Tuite and Oliver 272
Onyike, N. B. N. and P. E. Nelson. Fusarium species associated with sorghum grain from Nigeria, Lesotho, and Zimbabwe. 452–458
Oxalic acid
production in Sclerotinia trifoliorum 467–469
PCR primers 589–591
Panchal, C. J. Ed. Yeast strain selection; review 603
Parladé, J. see Alvarez et al. 926
Perisporic sac
Ascobolus immersus 459–465
Petersen, R. H. see Bermudes et al. 799
———. see Contolini et al. 517
———. see Gordon and Petersen 204
Petersen, R. H. and D. Bermudes. Panellus stypticus: geographically separated interbreeding populations. 209–213
Peterson, S. W. [Review of] Molecular and cell biology of yeasts. 130–131
Pfister, D. H. A note on some drawings of fungi by Cecilia Jane Berkeley in the Farlow reference library. 911–912
Phenolic antioxidants
Aspergillus 791–793
Phillips, A. J. L. see Crous et al. 497
Phillips, R. Mushrooms of North America; review 598
Phylogeny
Armillaria 505–515
Phytotoxins
Phoma sorghina 715–722
Piche, Y. see Chabot et al. 315
Pierson, P. E. and L. H. Rhodes. Effect of culture medium on the production of oxalic acid by Sclerotinia trifoliorum. 467–469
Pitt, J. I. see Samson and Pitt 946
Plasmids
Trichoderma 687–693
Population diversity
Uromyces appendiculatus 329–339
Population structure
Pleurotus ostreatus 173–181
Pore plugs
mycorrhizal Ascomycetes 360–365
Porter, D. see Lingle et al. 94
Porter, D. and W. L. Lingle. Endolithic thraustochytrid marine fungi from planted shell fragments. 289–299
Portrait
Dowding E. S. 486
Hawker L. E. 154
Powell, M. J. see Randolph and Powell 768
Presidential address
Barr J. S. 1–11
Proteinases
Postia placenta 815–821
Psammotermes
fungi associated with 930–934
Rai, B. see Arora et al. 605
Ramoska, W. A. see Dick et al. 729
Randolph, L. R. and M. J. Powell. Ultrastructure of zoospores of the oomycete Apodachlya pyrifera. 768–780
Redlin, S. C. Scanning electron microscopy of the conidioma of Discula destructiva (Coelomycetes). 257–260
Reed, G. and T. W. Nagodawithana. Yeast technology, second edition; review 945
Reid, J. see Hausner et al. 870
Remy, W. see Taylor et al. 901
Rhizoplane fungi 843–847
Rhodes, L. H. see Pierson and Rhodes 467
Richardson, M. D. see Warnock and Richardson 268
Rinaldi, M. G. [Review of] Antifungal drug therapy. 604
Rizzo, D. M. and T. C. Harrington. Nuclear migration in diploid-haploid pairings of Armillaria ostoyae. 863–869
Roberson, R. W. The actin cytoskeleton in hyphal cells of Sclerotium rolfsii. 41–51
Roelfs, A. P. see McCain et al. 329
Rogers, J. D., Ju Y.-M. J and D. E. Hemmes. Hypoxylon rectangulosporum sp.nov., Xylaria psidii sp. nov., and comments on taxa of Podosordaria and Stromatoneurospora. 166–172
Root organ culture
Glomus intraradix 315–320
Rossman, A. Y. see Samuels and Rossman 26
Royse, D. J. [Review of] Genetics and breeding of Agaricus. 602–603
Ryvarden, L. Genera of polypores: nomenclature and taxonomy—Synopsis fungorum 5; review 950–951
Samson, R. A. and H. C. Evans. New species of Gibellula on spiders (Araneida) from South America. 300–314
Samson, R. A. and J. I. Pitt, Eds. Modern concepts in Penicillium and Aspergillus classification; review 946–947
Samuels, G. J. and A. Y. Rossman. Thuemenella and Sarawakus. 26–40
Schalkwijk-Barendsen, H. M. E., R. S. Currah and L. Sigler. E. Silver Dowding (Mrs E. S. Keeping). 485–487
Schipper, M. A. A. see Benny and Schipper 52
Schumann, G. L. Plant diseases: their biology and social impact; review 267

Secondary metabolites
Phoma sorghina 715–722
Ramalina siliquosa 705–714
Secotioid fungi
Suillus and Gastrosuillus 592–596
Seeliger, H. P. R. see Tümbay et al. 271
Senescence
Didymium and Physarum 116–118
Septal pores
mycorrhizal Ascomycetes 360–365
Setae
Colletotrichum spp. 157–164
Shattock, R. C. see Lücas et al. 608
Shaw, C. G. and G. A. Kile, Eds. Armillaria root disease; review 270–271
Shaw, D. S. see Lücas et al. 608
Shearer, C. A. see Crane and Shearer 276
———. see Crane et al. 235
Shiu, S. H. see Tzean et al. 739
Sigler, L. see Inglis et al. 555
———. see Schalkwijk-Barendsen et al. 485
Singer, R. and R. Williams. Some boletes from Florida. 724–738
Singh, U. P., V. B. Chauhan, K. G. Wagner and A. Kumar. Effect of ajoene, a compound derived from garlic (Allius sativum), on Phytophthora drechsleri f. sp. cajani. 105–108
Sivan, A., T. E. Stasz, M. Hemmat, C. K. Hayes and G. E. Harman. Transformation of Trichoderma spp. with plasmids conferring hygromycin B resistance. 687–694
Skatole
Coprinus picaceus 264–266
Smudde, R. A. see Wood et al. 935
Snetselaar, K. M. and C. W. Mims. Sporidial fusion and infection of maize seedlings by the smut fungus Ustilago maydis. 193–203
Somatic incompatibility
Pleurotus ostreatus 173–181
Speciation
Phellinus torulosus 823–831
Species concept
Panellus stypticus 209–212
Spore development
Ascobolus immersus 459–465
Spore germination
Rhizomucor miehei 77–80
Spotts, R. A. see Michailides et al. 488
Sridhar, K. R. and F. Bärlocher. Aquatic hyphomycetes in spruce roots. 580–584
Stall, R. E. see Jones et al. 133
Stasovski, E. see Anderson and Stasovski 505
Stasz, T. E. see Sivan et al. 687
States, J. S. Mushrooms and Truffles of the Southwest; review 128
Stephenson, S. L. see Landolt et al. 399
Stihler, C. W. see Landolt et al. 399
Stimulation of germination
fungal spores 277–286
Streptomycin resistance
Phytophthora 82–86
Strongman, D. B. and E. S. Eveleigh. The true identity of the fungus reported as Hirsutella gigantea from eastern spruce budworm in Canada. 937–939
Systematics
level of resolution 139–153
Szaro, T. M. see Baura et al. 592
Szczawinski, A. J. see Turner and Szczawinski 273
Tansey, M. R. [Review of] The fifth kingdom. 610
Taylor, J. W. see Gargas and Taylor 589
Taylor, T. N., H. Hass and W. Remy. Devonian fungi: interactions with the green alga Palaeonitella. 901–910
Teleomorph induction
Athelia rolfsii 695–703
Thiman, L. see Jansson and Thiman 109
Thompson, D. P. Inhibition of mycelial growth of mycotoxigenic fungi by phenolic antioxidants. 791–793
Thomson, W. T. Agricultural chemicals, book IV. Fungicides; review 276
Thraustochytrids
associated with shell fragments 289–298
Trappe, J. M. see Alvarez et al. 926
———. see Cázares et al. 341
Tsai, W. H. see Tu et al. 695
Tu, C. C., T. F. Hsieh and W. H. Tsai. Induction of basidia and morphological comparison among isolates of Athelia (Sclerotium) rolfsii. 695–704
Tuite, M. and S. G. Oliver, Eds. Saccharomyces, biotechnology handbooks—4; review 272–273
Tümbay, E., H. P. R. Seeliger and Ö. Ang. Candida and candidamycosis; review 271–272
Turner, N. J. see Blanchette et al. 119
Turner, N. J. and A. J. Szczawinski. Common poisonous plants and mushrooms of North America; review 273–274
Tzean, S. S. see Liou and Tzean 786
Tzean, S. S., J. L. Chen and S. H. Shiu. Talaromyces unicus sp. nov. from Taiwan. 739–749
Tzean, S. S., L. S. Hsieh, J. L. Chen and W. J. Wu. Nomuraea viridulus, a new entomogenous fungus from Taiwan. 781–786
Uchida, J. Y. and M. Aragaki. Further characterization of Cylindrocladium spathiphylli from Spathiphyllum in Hawaii and Florida. 810–814
Uecker, F. A. see Goos and Uecker 322
Ulloa, M. Diccionario Illustrado de micologia; review 610–611
Vakili, N. G. Sexual reproduction in Sphaeronaemella helvellae. 849–856
Van Cutsem J. see Vanden et al. 133
Van Dyke C. G. see Venkatasubbaiah et al. 715
Vanden Bossche, H., D. W. R. MacKenzie, G. Cauwenbergh, J. Van Cutsem, E. Drouchet and B. Dupont. Mycoses in AIDS patients; review 133
Venkatasubbaiah, P., C. G. Van Dyke and W. S. Chilton. Phytotoxic metabolites of Phoma sorghina, a new foliar pathogen of pokeweed. 715–723
Vesicular-arbuscular mycorrhiza
Glomus in root organ culture 315–320
occurence with Acer 422–429
effect of Acremonium 882–885
in tallgrass prairie 522–527
Vilgalys, R. see Kay and Vilgalys 173
Volk, T. J. [Review of] Genera of polypores: nomenclature and taxonomy—Synopsis fungorum 5. 950–951

Wagner, K. G. see Singh et al. 105
Wall ontogeny
Ascobolus immersus 459–465
Walton, E. F. and G. T. Yarranton, Eds. Molecular and cell biology of yeasts; review 130–131
Warnock, D. W. and M. D. Richardson, Eds. Fungal infection in the compromised host; review 268–269
Watanabe, T. Hyphodiscosia radicicola sp. nov. from Japan. 113–116
———. Taeniolella phialosperma sp. nov. from Japan. 478–483
———. Trinacrium iridis sp. nov. from iris roots in Japan. 794–798
Webster, R. K. and P. S. Gunnell, Eds. Compendium of rice diseases; review 953
Whipps, J. M. and R. D. Lümsden, Eds. Biotechnology of fungi for improving plant growth; review 601–602
White, J. F., Jr. Endophyte-host associations in grasses. XVII. Ecological and physiological features characterizing Epichloe typhina and some anamorphic varieties in England. 431–441
Wicklow, D. T. [Review of] Handbook of applied mycology. Vol. 5—Mycotoxins in ecological systems. 949–950
———. [Review of] Pests, pathogens and plant communities. 600
Widden, P. see Cooke et al. 422
Williams, M. C. see Lichtwardt and Williams 376
———. see Lichtwardt and Williams 384
———. see Lichtwardt and Williams 392
Williams, P. H. see Ingram and Williams 269
Williams, R. N. see Ellis et al. 953
Williams, R. see Singer and Williams 724
Williamson, B. see Ellis et al. 953
Wilson, A. D. A versatile giemsa protocol for permanent nuclear staining of fungi. 585–588
Wingfield, M. J. see Crous et al. 497
———. see Mouton et al. 857
Wood, W. F., M. Brownson, R. A. Smudde and D. L. Largent. 2–aminobenzaldehyde: the source of the "sweet odor" of Hebeloma saccharioleus. 935–936
Wood decay
Postia placenta 815–821
Woodrat middens
Marasmius inaquosi 229–234
Woronin bodies
mycorrhizal Ascomycetes 360–365
Wu, Mei-Lee and R. T. Hanlin. Ascomal development in Leptosphaerulina crassiasca. 241–252
Wu, W. J. see Tzean et al. 781
Wunch, K. G., J. W. Bennett and D. Bhatnagar. An averufin-accumulating mutant of Aspergillus nidulans. 913–916
Xiao Guoping and S. M. Berch. Ericoid mycorrhizal fungi of Gaultheria shallon. 470–471
Yang, X. Y. see Chang et al. 923
Yarranton, G. T. see Walton and Yarranton 130
Zak, J. C. see Desjardin et al. 229
Zambino, P. J. and T. C. Harrington. Correspondence of isozyme characterization with morphology in the asexual genus Leptographium and taxonomic implications. 12–25
Zentmeyer, G. A. see Cook et al. 275
Zentmyer, G. A. [Review of] Advances in pathology, Vol. 7, Phytophthora infestans, the cause of late blight of potato. 269–270
Zitter, T. A. see Jones et al. 133
Zoospore structure 1–11
van Griensven, L. J. L. D. Ed. Genetics and breeding of Agaricus; review 602–603
van Wyk P. S. see Mouton et al. 857
volatile chemicals
germination of fungal spores 277–286

FUNGOUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

Absidia 56, 834
cylindrospora 891–892
spp. 61
Absidiaceae 56
Acaulospora
dilatata 940
lacunosa 940
polonica 940
sporocarpia 943
Achlya 6
ambisexualis 587f
Acremonium
coenophialum 882
kiliense 845–847
sect. Albo-lanosa 431
spp. 882, 884
strictum 931–932
typhinum 431–432, 437, 439
typhinum var. bulliforme **433**, 434f, 435–436, 436f, 440
typhinum var. fasciculatum 434f, **435**, 436, 436f, 440
typhinum var. typhinum 434f, 436, 440
Actinopelte 539
Agaricales 209, 278, 679
Agaricostilbales 676
Agaricus 519
bisporus 278, 280, 575–578, 821
bitorquis 142, 517
brunnescens 142, 517, 575
campestris 278, 280
Agonomycetes 279
Aleuria 459, 465
Allomyces

macrogynus 109, 112
Alternaria 452, 765
alternata 279–281, 845, 931–932
tenuissima 845
Amanita 679
austroviridis 680f, **682**, 684f
basiorubra **679**, 680f, 682, 683f
luteivolvata 680f, 684f, **685**, 686
subgen. Lepidella sect. Lepidella 684, 686
subgen. Lepidella sect. Limbatulae 686
subgen. Lepidella sect. Limbatulae stirps Preissii 686
subgen. Lepidella sect. Solitariae 684
subgen. Lepidella sect. Validae 682
sublutea 686
Amanitaceae 679
Amoebidiales 376
Amoebidium 376
australiense 380f, **381**, 382
parasiticum 376, 381–383
recticola 376
Anguillospora
filiformis 581, 583
Anthracobia 461
Aphanomyces 769
euteiches 775, 777–778
spp. 191
Aphyllophorales 517
Apodachlya
pyrifera 768–778, 770f, 772f, 774f, 776f
Aposphaeria 757
Arcyria
cinerea 916
Armillaria
borealis 215, 506–515
bulbosa 830
calvescens 215–217, 506–515
cepistipes 214, 506–515
gallica 215–218
gemina 506–515
lutea 506–515
mellea 214, 367–374, 370–371f, 374f, 506–515, 829–830
ostoyae 215–218, 506–515, 863–868
sinapina 215–217
spp. 214, 367, 505, 863, 866–868
tabescens 214, 367
Armillariella
mellea 799–801
Arthrinium 475
hispanicum **476**, 476–477f
mediterranei **476**, 476–477f, 478
puccinioides 476, 478
serenesis 478
serensis 476
Arthrobotrys 626
oligospora 789, 932, 934
Articulospora
tetracladia 581, 583
Ascobolus 459, 461
immersus 459–465, 460f, 462–464f
stercorarius 465
stictoideus 459, 461, 465
Ascochyta 721
cypericola 719
Ascodesmis 461
Ascomycota 1, 8
Ascosphaera
aggregata 555, 559–561
Ascosphora
elegans 835
Aspergillus 148, 314, 452, 930
candidus 931–932
carneus 845, 932
deflectus 932
egyptiacus 931–932
flavus 717, 721, 791–793, 913, 931–934
flavus var. columnaris 931–934
fumigatus 845, 872–878, 931–934
melleus 931
nidulans 690, 913–915
nidulellus 913
niger 105, 107, 845, 931–933
ochraceus 931–932
parasiticus 791–793, 913–915
sojae 845
sydowii 931–932
tamarii 931–932
terreus 845, 932, 934
ustus 932
versicolor 913
Asteridiella
knightiae 322
plebeja 322
Athelia 695
rolfsii 695–703, 698–699f, 701f
Atkinsiella
dubia 573
Atractiellales 675–676
Auricularia 212
fuscosuccinea 676
Auriculariaceae 668
Auriculariales 668, 673, 675–676
Auriscalpiaceae 517
Auriscalpium
vulgare 206, 212
Austrosmittium 384
aussiorum 384
biforme **384**, 385, 387f
kiwiorum 384
norinsulare 384
Backusella 61
circina 840
ctenidia 840
lamprospora 840
spp. 839
Balladyna
velutina 322–323, 323f, 325
Basidiobolus
ranarum 736
Basidiomycota 1, 8
Beauveria 930
Bipolaris
zeicola 849
Bivonella 645
Bjerkandera
adusta 409
fumosa 406–409
Blastocladiales 5

Bojamyces 384–385
repens 387
Boletales 278
Boletinellus 528
merulioides 528–533, 530–531f
Boletus
longicurvipes 727
rubritubifer 724
Bombardia 756
Botryobasidium 695
Botrytis
cinerea 845
Brasiliomyces
setosa 323
Brettanomyces
anomalus 566–567
Byssothecium
alpestris 236
circinans 236–237
flumineum 235–240, **236**, 238–239f
Calonectria 813
Calvatia
craniiformis 759–, 761, 762f, 763–765
cyathiformis 759–766, 762f
gigantea 760–761, 762f, 763–765
rubroflava 759, 761, 762f, 763–765
Camillea 29
Candida
albicans 105
guilliermondii 73, 75
quercuum 73
solani 73
suecica 73
Catathelasma
imperiale 472–475
spp. 472
Catenaria
anguillulae 109–112, 110f
Catenochytridium 907
hemicysti 190
Cenangium 657
acicolum 657
atropurpureum 650–651
ferruginosum 650–651, 653, 654f, 657
lacrimiformia 657
Cenococcum
geophilum 341
graniforme 341
Cephaliophora
tropica 932
Cephaloascus 871, 880
fragrans 871, 873–879
Ceratocystiopsis 23, 857, 861–862
Ceratocystis 879–880
fagacearum 494
fimbriata 871, 873–880
francke-grosmanniae 857
moniliformis 871, 873–880
ulmi 494
vesca 871, 873–878, 880
Ceratophorum 114
setosum 114
Chaetocladiaceae 618, 639
Chaetocladium 616, 618–621
Chaetomidium
arxi 365
Chaetomium
globosum 845, 931–933
piluliferum 931–934
sp. 889–891
spirale 932
thermophile var. coprophile 79
Chaetosphaeria
vermicularioides 921
Chaetostylum 834
Chalara 857
Chalciporus
rubritubifer 724, 725f
Cheilymenia 461, 465
Chloridium 922
dispersum 922
virescens 921–922
viride 921–922
Choanephoraceae 616, 639
Chromocreopsis 30
cubispora 167
epinectria 31
striispora 31
Chtridiomycota 1–3, 5, 7
Chytridiales 5, 190–191, 442
Chytridiomycota 8
Chytridium 191, 442
confervae 190–191, 443
olla 190–191, 443
ottariensis 191, 443
Chytriomyces
angularis 442–450, **443**, 444f, 446f, 448–449f
appendiculatus 442
aureus 191, 442
hyalinus 191, 442, 449–450
lucidulus 442
poculatus 442, 447
spinosus 442
Ciliochorella
mangiferae 325, 327f
Circinella 56, 61
circinans 52–53, 61
circinans var. volgogradensis 52–55
linderi 56, 61
naumovii 52, 55
reniformis 52–53
spinosa 932
Cirrhomyces
flavovirens 922
viridis 922
Cladonia
chlorophaea 705
grayi 712
Cladosporium 765
cladosporioides 932
sp. 891–892
Claviceps
purpurea 587f
Clavicorona 517
pyxidata 206, 517–520
Clintoniella 31
rhytidospora 32

Clitopilus
hobsonii 413
Clypeosphaeriaceae 809
Cochliobolus
geniculatus 845–847
heterostrophus 688, 690, 692
lunatus 932
spicifer 932
Cokeromyces
recurvatus 626
Coleosporium
ipomoeae 278, 280
Colletotrichum
acutatum 157–164, 160f, 162f, 717, 721
acutatum f. sp. pinea 164
fragariae 157–164, 160–161f
gloeosporioides 157–164, 160f, 162f
spp. 107
Collodiscula
japonica 29
Coniochaetaceae 757
Coniophora
puteana 665
Coprinus 233
cinereus 517, 519–520, 821
picaceus 264–266
stercorarius 517, 519
Coprobia 465
Cordella
johnstonii 325
spp. 325
Cordyceps
spp. 313
Corticium
centrifugus 695
rolfsii 695
Crumenula 656
Crumenulopsis 650, 656–657
atropurpurea **651**, 652f, 653, 656–657, 654655f
lacrimiformia 654f, 655–656
pinicola 656
sororia 656
Cryphonectria
cubenses 22
Cunninghamella 616, 621, 639, 930
bertholletiae 639
echinulata 621, 639, 931–933
echinulata var. echinulata 637
echinulata var. elegans 639
echinulata var. indica 639
elegans 639
homothallica 639
vesiculosa 639
Cunninghamellaceae 616, 639, **639**
Curvularia 452
prasadii 932
Cyathus
stercoreus 665
Cylindrocarpon 502
Cylindrocladiella 497
spp. 498, 502–503
Cylindrocladium 497, 812
camelliae 498–503, 498f, 502f
crotalariae 811
floridanum 497–503, 498f, 502f, 811, 812f, 813
scoparium 497–503, 498f, 502f
spathiphylli 810–813, 812f
spp. 497–498, 502–503
Cylindrophora 313
aranearum 313
Cymadothea
trifolii 364
Cystobasidiaceae 668
Cystobasidium 668
Cytosporella 647
Dacampiaceae 235
Dactylella 798
leptospora 798
multiformis 798
Dactylomyces
thermophilus 79
Debaryomyces
hansenii 73, 75
Dekkera
anomala 566–567
Delitschia 757
Dematium
asserculorum 922
epiphyllum 922
fuscum 922
graminum 922
herbarum 922
virescens 921–922
vulgare var. typharum 922
Dendryphiopsis
atra 325, 327f
Deuteromycotina 279
Diaporthe
spp. 647
Dichotomocladium 618, 621
Dicranophora
fulva 620, 840
Dicranophoraceae 620
Dictyostelium
aureo-stipes 400–401, 404
caveatum 399
discoideum 399–401, 403, 589
giganteum 400–401
lacteum 402, 404
minutum 400–401
mucoroides 399–401, 404
purpureum 399–401
rosarium 399–402, 404
septentrionalis 403
sphaerocephalum 400–401, 404
Didymium
iridis 116–118
nigripes 916, 918–919
trachysporum 404
Didymosphaeriaceae 757
Digitosporium
piniphilum 656
Diplodia
pinea 656
Discosia 113
Discula
destructiva 257–260, 258f
Doratomyces

viridis 922
Dothidea
collecta 251
puccinioides 251
Dothideales 251
Echidnodella 325
cocculii 325
damnacanthi 325
guatamalensis 325
imadae 324f, **325**
Echinodontium
tinctorium 587f
Echinostelium
minutum 916–919, 918f
Elaphomyces
granulatus 342f, 343
muricatus 342f, 343–344
spp. 341
Eleutherascus 461
Ellisomyces
anomalus 839
Emericella
nidulans 931–932
nidulans var. nidulans 913
quadrilineata 932
Encoelia 657
Endochytrium 904
Endomyces 871, 880
decipiens 871, 873–879
Endophragmia
mirabilis 478
spp. 478
Endothia 647
Enterobryus
bifurcatus 377
Entoloma 418
Entolomataceae 418
Entonaema 29
Entophlyctis 904
Entrophospora
infrequens 523
Eocronartium 668, 673
muscicola 669, 673, 676
sp. 675
Epichloe
typhina 431
Epicoccum
purpurascens 845–847
Eupenicillium 739
Europhium
aurea 861
aureum 871, 873–879
clavigerum 871, 873–879
spp. 879
triancriforme 871, 873–879
Eurotium
amstelodami 932
Euthamnidium 834
Excipularia
narsapurensis 326, 327f
Excipulariopsis
narsapurensis 326
Exidiopsis
plumbescens 829
Fenestella
princeps 647
Fenestellaceae 756–757
Fennellia
flavipes 931–932
Fennellomyces 61
linderi 61
spp. 839
Filosporella
annelidica 240
Flammulina
velutipes 219–227, 820
Fomitopsis
cajanderi 178
officinalis 119–123, 121f
palustris 930
pinicola 831
Fuligo
septica 916, 919
Fusariella 37
Fusarium 452, 498, 502, 791, 930
acuminatum 49, 365
avenaceum 453, 455
chlamydosporum 453–455
compactum 453–455
dimerum 453–455
equiseti 453–455
fujikuroi 253, 541
graminearum 453–455, 792–793
heterosporum 932
lateritium 453–455
moniliforme 253–256, 453–456, 541–546, 792–793, 845, 849
napiforme 453–455
nygamai 453–456
oxysporum 107, 453–455, 673, 792–793, 845, 931–932
oxysporum var. redolens 845
poae 792–793
proliferatum 253–256, 453–455, 541
roseum 792–793
sambucinum 453–455
sect. Liseola 253, 256, 543, 545–546
semitectum 107, 453–455
solani 279–280, 453–455, 587f, 934
solani f. sp. pisi 279
sporotrichioides 453–456, 792–793
spp. 253–254, 363, 453
subglutinans 253–256, 453–454, 541, 545
tabacinum 932
udum 107
Gabarnaudia
helvellae 849, 852
Galactinia
plebeja 364
Galiella 261
amurense 262–263
javanica 263
oblongispora **261**, 262f
rufa 263
sinensis **262**, 262f
thwaitesii 262
Ganoderma
applanatum 123, 821

australe 821
Gastroboletus 592
Gastrosuillus 592
laricinus 592–596
Gautieria
magnicellaris **349**, 350f
morchelliformis var. magnicellaris 349
Gelasinospora 485
tetrasperma 871, 873–878
Genea
arenaria 342f, 344
Geniculospora
sp. 581, 583
Geomyces
pannorus 889–892
Geopora
cooperi 928
cooperi f. cooperi 124–127, 341
cooperi f. gilkeyae 124–127
Geosmithia 739
Geotrichum 567
Gibberella
baccata 932
fujikuroi 253, 541–546, 932
fujikuroi var. fujikuroi 253
fujikuroi var. intermedia 253
fujikuroi var. moniliformis 253
fujikuroi var. subglutinans 253
intricans 932
pulicaris 932
Gibellula
alata 306
arachnophila 312
aranearum 312
brunnea **301**, 303, 304–305f, 313
clavata 306, **306**, 307f, 309f, 312–313
clavulifera 301, 313–314
clavulifera var. alba 300
formicarum 300
globosa 313
globosa-stipitata 313
leiopus 306, 312–313
mainsii **300**, 301, 302–303f
mirabilis **310**, 310–311f, 312–313
petchi 313
pulchra 301, 312–313
spp. 300, 313
suffulta 301
Giberella
fujikuroi var. moniliformis 545
moniliformis 545
Gigaspora
albida 523
gigantea 277, 315, 523, 940
intraradix 315–320
margarita 277, 315, 317, 319–320
Gliocladium 895, 930
deliquescens 31
Gloeophyllum
trabeum 820
Gloeosporium
fructigenum f. chromogenum 164
Glomerella
cingulata 157, 164
Glomus
aggregatum 523, 940
ambisporum 523–526
claroides 523
constrictum 523, 940
etunicatum 523, 940
fasciculatum 523, 942
fulvum 341, 342f
intraradix 318f
macrocarpum 882–884
microcarpum 942
mortonii 523
mosseae 277, 523, 882–884
sp. 523
spp. 315, 317
versiforme 942
Glotzia
ephemeridarum 385
tasmaniensis 390
Gongronella
butleri 56, 845
lacrispora 52, 56
Granulomanus 300–301, 303, 313–314
sp. 305–307, 309–310
Graphiocladiella 21
Graphium 857, 861
putridinis 932
Grongronella 56
Gymnosporangium
juniperi-virginianae 790
Gyrodon 520
Haliphthoros
milfordensis 6
Halophytophthora
bahamensis 553
epistomium 553
exoprolifera **548**, 549–553, 550–552f
vesicula 549, 553
Hamigera 739
Hansenula
minuta 75
ukrainica 73, 75
Haplaria
chlorina 922
Haptoglossa
mirabilis 6
Harpella
melusinae 390, 398
Harpellales 382, 384–385, 390, 397
Hebeloma
cylindrosporum 659
hiemale 532
sacchariolens 935–936
Helicodendron
minutum **326**, 327f
Helicogloea 668, 673, 675
intermedia 675
Helicoma
dennisii 326
Helicomyces
vegetus 922
Helicosporium

neesii 922
olivaceum 922
vegetum 921–922
virescens 921–922
Helicostylum 61–62, 834
elegans 839–840
glomeratum 840
pirelloides 53
pulchrum 840
spp. 839
Helicotrichum
pulvinatum 922
vegetum 922
Heliscus
lugdunensis 581, 583
Helminthosporium 452
carbonum 849
Herpobasidium 673, 675
Heterobasidion
annosum 49, 207, 823, 830
Heterogastridiales 676
Hirschioporus
abietinus 831
Hirsutella
gigantea 937–938, 938f
longicolla 937–938, 938f
longicolla var. cornuta 937
nodulosa 937–938
Hohenbuehelia 789
Humicola
grisea 932
Hydnobolites
californicus 345
cerebriformis 342f, 344
Hymenogaster
sublilacinus 350f, 351
Hyphochytriomycetes 6–8
Hyphochytrium
catenoides 587f
Hyphoderma 786
comptum 786
echinocystis 786
mutatum 823
pallidum 787
puberum 786
sp. 786, 787–788f, 787–790
Hyphodiscosia 113
europaea 113
jaipurensis 113
mirabilis 113
radicicola **113**, 114, 114–115f
Hyphomycetes 279
Hypocrea 32, 37
bicolor 31
cubispora 30
rhytidospora 31–32
schweinitzii 360, 364
spp. 31
subg. Hypocrea sect. Homalocrea subsect. Pulvinatae ser. Pulvinatae 37
subtrachycarpa 32, 35
thuemenello-sulphurea 32
thuemenelloides 32
trachycarpa 32, 37
yasudae 37
Hypocreaceae 31, 647
Hypocreales 26, 32
Hypotrachyna
physcioides 706
Hypoxylon 31, 647
lycogaloides 31–32
rectangulosporum **166**, 167, 168f
sect. Hypoxylon 167
Hypsostroma **750**, 756–757
caimitalensis **751**, 754–755f, 756
saxicola **750**, 752–753f, 756–757
Idriella
lunata 845
Induratia 29
apiospora 29
Insolibasidium 668
Isaria
sp. 932
Jola 668, 673, 675
sp. 675
Kluyveromyces 872–878
lactis var. lactis 107
Kretzschmaria
clavus 924–925, 924f
truncata 166, 169–172
Kriegeria 673
eriophori 668–676, 670f, 672f, 674f
Krispiromyces **906**, 907, 909
discoides **906**, 908f
Labyrinthula 7, 297
Labyrinthulales 7
Labyrinthulea 8
Laccaria
bicolor 659
lector 659
spp. 659
Laetisaria
arvalis 49
Lagena
radicicola 6
Lagenidiales 6, 571, 573, 775
Lagenidium
callinectes 6, 573
chthamalophilum 573
giganteum 571–573
Lagerstroemia 721
Lampteromyces
japonicus 799–801
Leccinum
chromapes 727
oxydabile 727
roseoscabrum 724, **726**, 726–727, 726f
sect. Leccinum subgen. Scabra 727
singeri 727
snellii 727
subpulchripes 727
Lecidea 591
crustulata 589
Legeriomyces
aenigmaticus 385
Lembosina 325
Lentinus
edodes 821

Leptographium 12, 857, 861–862, 879
abietinum 14, 17–18, 20–23
engelmannii 14, 18, 20–23
lundbergii 14, 17–23
penicillatum 21
procerum 14, 17–18, 20
pyrinum 14, 18, 20–22
serpens 14, 17–18, 20–23
sp. 14–15, 18, 20–21
spp. 16
terebrantis 14, 18–20
truncatum 14, 18–20
wageneri var. pondersum 14, 17–18, 20, 22
wageneri var. pseudotsugae 14, 17–18, 20, 22
wageneri var. wageneri 14, 17–18, 20, 22
Leptomitaceae 768
Leptomitales 768, 777–778
Leptosphaeria 235
avicenniae 807
sp. 803
Leptosphaerulina 241, 251
americana 249
arachidicola 249, 251
argentinensis 247, 249
australis 247, 249
briosiana 249, 251
crassiasca 241–251, 242f, 244f, 246f, 248f, 249, 250f, 251
trifolii 249
Leptothyrium 537
Leucogaster
rubescens 351, 352f
Lindquistia 169
Loculoascomycetes 251
Loculotuber **927**
gennadii **927**, 928, 928f
Longula 233
Lyonomyces **906**, 907
pyriformis 905f, **906**
Lyophyllum
subgen. Lyophyllopsis 418
Macroventura
wentii 626
Magnaporthe
grisea 48
Malbranchea
pulchella 845
Marasmius
anomalus var. microsporus 232
haematocephalus var. anomaloides 232
inaquosi **229**, 231f, 232–234
pallescens 232
pulcherripes 204
pyrrhocephalus 204–205, 206f
robinianus 232
rotula 205
sect. Sicci subsect. Siccini ser. Haematocephali 232
siccus 205–207
spp. 204
Massariaceae 757
Mastigomycotina 279
Mastigosporium 114
album 114
graminium 114
Melampsora
abietes-canadensis 278, 280
pinitorqua 278, 280
Melanogaster
umbrinigleba 341
variegatus 351, 352f
variegatus var. mexicanus 341
Melanoleuca 418
Melanomma 757
pulvis-pyrius 237
Melanommataceae 757
Melanommatales 756
Melidium
arbuscula 835
subterraneum 835
Melogramma
cinnamomi 642
Memnoniella
echinata 932
Merimbla 739
Mesobotrys
flavovirens 922
Metarrhizium 785, 930
Microascaceae 870
Microascales 870
Microascus 870
doguetii 626
Microthelia
incrustans 325
Milleromyces **902**, 904, 907, 909
rhyniensis **902**, 903f, 905f
Monacrosporium 798
Monascus
purpureus 626
Moniliella 555, 567–568
acetoabutens 567–568
pollinis 568
suaveolens var. nigra 567–568
suaveolens var. suaveolens 567–568
tomentosa var. pollinis 568
Monoblepharidales 5
Montagnea 233
Morchella
esculenta 589
Mortierella 897–898
alliacea 890–891
elongata 890–891, 896
exigua 890–891
humilis 890–891
hyalina 890–893
isabellina 889–890, 896
jenkini 890
macrocystis 890–891
macrocystopsis 889–891, 893
marburgensis 896
minutissima 891–893
nana 889–890, 896
parvispora 890–891
pseudozygospora 890–893
pulchella 896, 898–891
ramanniana 896
ramanniana f. ramanniana 889–890
sarneeyensis 889–891
schmuckeri 891–892

sect. Hygrophila 889, 896
sect. Isabellina 889, 895
sect. Spinosa 889
sect. Stylospora 889, 896
simplex 890–891
sp. 626
spp. 888–889, 892
verrucosa 890–891
verticillata 890–891, 896
vinacea 892, 896
zonata 890–891
Mortierellaceae 639
Mucor 61, 897, 930
agglomeratus 839
circinans 53
circinelloides 932
elegans 835
flavus 62, 891–892, 894
fragilis 932
genevensis 895
hiemalis 56, 62, 493, 845, 889–890, 895
hiemalis f. corticolus 892, 894
hiemalis f. hiemalis 892, 894
mucedo 62, 835
paradoxus 840
pirelloides 53
piriformis 488–496, 490f
plasmaticus 890–892, 894
plumbeus 932–934
racemosus 931–934
racemosus f. sphaerosporus 891–892, 894
sect. Piromyces 53
sp. 890–891
spp. 888, 891–892
subg. Pirella 53
Mucoraceae 52, 56, 61–62
Mucorales 616–620, 639
Mycena 103, 799
citricolor 799–801
haematopus 799–801, 800f
leaiana 799
pruinosoviscida var. rabaulensis 801
rorida var. lamprospora 801
sanguinolenta 801
Mycocentrospora
sp. 581, 583
Mycoenterolobium
platysporum 328
Mycogloea 668, 675–676
carnosa 675
Mycolachnea 461, 465
Mycosphaerella 251
arachidicola 251
berkeleyii 251
bolleana 251
cerasella 251
personata 251
populorum 251
rabiei 587f
sp. 721
tassiana 251
tulipifera 251
typhae 251
Mycotyphaceae 639
Myrothecium
verrucaria 932
Nectria
haematococca 240, 931–932
rugulosa 924f, 925
Nectriopsis
epinectria 31
Nematoctonus 789
leiosporus 789
Neocallimastix
sp. 109
Neofuscelia
quintaria 706
Neolentinus
lepideus 820
Neosartorya
fischeri 871, 873–878
Neournula 261
Neozygites 729–730
adjarica 729–736, 731f, 734f
floridana 729, 735–736
spp. 49
tetranychi 729, 735–736
Neurospora 365
crassa 360, 364, 545, 589, 872–878
intermedia 545
sitophila 545
tetrasperma 545
Nigrospora
sphaerica 845
Nodulisporium 26, 29
Nomuraea 781
anemonoides 781, 785
atypicola 781, 785
rileyi 781, 785
viridulus 781, 782–784f, 785–786
Ochromonas 7
Octavianina
asterosperma 352f, 353
Octospora 464
Oedocephalum 621
echinulatum 621
Ohleriella 757
Oidiodendron 895
griseum 471
Olpidiopsis
saprolegniae 4f
saprolegniae var. saprolegniae 6, 769
Olpidium 3
brassicae 5
Omphalotus
olearius 799–801
Oomycetes 1–2, 5–9, 82, 109, 279
Ophionectria
cerea 921
Ophiostoma 12, 857, 861–862, 870, 879–880
abiocarpum 15–18, 20, 22–23
adjuncti 15, 18, 20, 22–23
araucariae 12
aureum 15, 18, 20–21, 23
clavigerum 12, 15, 18–23
crassivaginatum 15, 17–18, 20, 22–23
cucullatum 871, 873–880
davidsonii 880

europhioides 15, 18, 20–21, 23
francke-grosmanniae 857–862, 859–861f
huntii 15, 17–18, 20
penicillatum 15, 17–20, 22–23
piceaperdum 21
robustum 15, 18, 20–23
serpens 17
sp. 15, 18, 20–21, 23
ulmi 873, 879
wageneri 17
Ophiostomataceae 870
Ostracoblabe
implexa 297
Ostropella 756
Pachyphloeus
citrinus 345, 346f
virescens 345, 346f
Paecilomyces 739, 785, 895
sp. 889–892
spp. 587f
variotii 845, 931
Panellus
stypticus 94–104, 99f, 206, 209–212, 799–801
Paramoebidium 390
bibrachium 377, 379, 379f, 381–382
papillatum 377, 378f, 379, 381–382
spp. 382, 390, 395, 397
Parasitella
parasitica 620
Parmotrema
cetratum 706
crinitum 706
perforatum 706
Paxillus
involutus 49, 659
Pellicularia 695
Penicillium 452, 721, 739, 748, 791, 872–878, 895, 897
aurantiogriseum 792–793
brevi-compactum 792–793
camembertii 792
chrysogenum 792–793, 845–847, 931–932
citrinum 792, 931–932
crustosum 792–793
digitatum 279–280
funiculosum 845, 931–932
griseofulvum 792–793
italicum 279–280
janthinellum 845
nigricans 845
notatum 717, 721
oxalicum 931–932
purpurogenum 792–793
rubrum 845–847
sp. 721
spp. 22, 141, 889–892
unicum 739
Penzigia 31
lycogaloides 32
Peridermium
harknessii 338
Peronosclerospora
sorghi 279–280, 284
Peronosporales 279, 768, 775, 777
Peziza
plebeja 364
Pezizales 459
Phaeolus
schweinitzii 178
Phaeotrichaceae 757
Phalangispora
constricta 581, 583
Phanerochaete
chrysosporium 820–821
gigantea 820
Pharcidia
balani 297
Phascolomyces
articulosis 617–620
Phellinus 823
alni 823
cinereus 823
gilvus 827–828
igniarius 823
ossatus 823
torulosus 823–831, 826f
Phialocephala 857, 861
Phialophora
sp. 930
Phibalis 657
Phlebia
gigantea 820
radiata 936
Phlyctochytrium 442, 907
powhatanensis 191
Phoma 721
medicaginis 845
sorghina 715–722, 716f
Phylacia
spp. 167
Phylloporus
boletinoides 724
sect. Manausenses 724
Phyllosticta 721
sp. 721
Physarum
polycephalum 116–118, 916
Phytophthora 7, 22, 82, 84, 86, 553, 769
cactorum 82, 85
capsici 82–86
cinnamomi 82–86, 112
drechsleri 82, 85
drechsleri f. sp. cajani 105–107
infestans 48–50, 82, 85–86
megasperma 22
palmivora 82–86
parasitica 82–86, 925
sp. 549
spp. 108–109, 111, 925
Pichia 72
alni 73
anomala 73, 75
bimundalis 73
canadensis 73
cellobiosa 73, 75–76
guilliermondii 73, 75
linderni 75
methanolica 73, 75–76

toletana 73–75
xylosa 73–75
Pirella 53, 62
circinans 52–56, 57–58f, 61–62
circinans var. volgogradensis 55, 61
naumovii **55**, 59–60f
reniformis 52–53, 56–62
spp. 56, 839
staleyi 62
Pisolithus
arhizus 659–665, 664f
tinctorius 529–530, 532, 659
Plasmodiophora
brassicae 7, 279–281, 284
Plasmodiophorales 279
Plasmodiophoromycetes 279
Plasmodiophoromycota 7–8
Platycarpa 668
Platygloeales 668, 676
Plectania 261
Pleiochaeta 114
albizziae 114
setosa 114
sp. 113
Pleosphaerulina
briosiana 249
Pleuortus
ostreatus 212
Pleurocytospora 647
Pleurophomopsis 751, 757
Pleurotus 789
eryngii 830
ostreatus 173–181, 766, 789
spp. 830
Podaxis 233
Podochytrium 191
chitinophilum 183, 191
clavatum 183, 190
cornutum 183
dentatum 183–191, 184f, **185**, 186–188f, 190f
ellerbeckense 183, 191
emmanuelensis 183
lanceolatum 183
Podosordaria 169
leporina 169
truncata 170f, 171–172
Podospora
anserina 872–878
Polymyxa
graminis 4f, 7
Polyporus
brumalis 820
Polysphondylium
pallidum 399, 402
violaceum 399–401
Poronia 721
fornicata 171
kurziana 171
leporina 169
mexicana 171
spp. 169
Postia
placenta 815–821
Preussia 757
Pseudogibellula 300
formicarum 312–313
Pseudohalonectria
lignicola 240
Pseudopleaa
gaeumanii 247
Pseudotracylla 534, **534**, 537, 539
dentata 534, 537
falcata **534**, 536f, 538–539f
Psilocybe
cubensis 123
Puccinia 91
carthami 278, 280, 284
chondrillina 278, 280
coronata 282f, 283–284
coronata var. avenae 278, 280–281
graminis f. sp. tritici 278, 280–281
graminis var. tritici 282f, 283–286
helianthi 278, 280–281, 282–3f, 283–286, 493
hieracii 278, 280
iridis 278, 280
parca 278, 280
pelargonii-zonalis 278, 280
podophylli 278, 280
polysora 278, 280
punctiformis 278, 280, 284–286
recondita 278, 280–281, 282f
rubigo-vera 282f
rubigo-vera var. secalis 278, 280–281
sorghi 278, 281, 282f
sp. 278, 280–281, 282f
striiformis 329
zoysiae 87–93, 89–90, 92f
Pythium 769, 897
spp. 6, 109, 775
ultimum 279–280, 587f
Pyxidiophora
spp. 736
Radiomycetaceae 639
Raffaelea 889–891
Ramalina
americana 706
siliquosa 705–714
Resupinatus 789
Reticulitermes
sp. 930
Reticulocephalis 616, 618–622, 629, **633**, 639
clathroides 618–620, 635, **637**, 638, 638f
gyrosus 618–620, 633, **635**, 636–637f
spp. 617–618
Rhipidiaceae 768, 777–778
Rhizidium 442
Rhizoclosmatium 191
globosum 190–191, 443
Rhizoctonia
cerealis 587f
Rhizomucor
miehei 77–80
pusillus 79
Rhizophydium 442, 906
gibbosum 447
patellarium 449
Rhizopogon
abietis 353, 354f

alkalivirens 355
atroviolaceus 356
couchii 353, 354f
guzmanii 354f, **355**, 357
lowii 357–358
molligleba 354f, 356
pinyonensis 356
rubescens 356
sect. Amylopogon 355
spp. 341
subcaerulescens 354f, 357, 592–596
subgelatinosus 354f, 357
succosus 354f, 357–358
superiorensis 357–358
superiorensis var. mexicana 358
Rhizopus 834
arrhizus 845–847
oryae 932
stolonifer 587f, 931–932, 934
Rhizothyrium 539
Rhodocybe
albovelutina 419
alutacea 416
ammophila 414, 420
angustispora 417f, 418
caelata 419
caelatoidea 419
claudopus 420
collybioides 419–420
conchata 419
conica 411, 418
crepidotoides 419
crystallina **411**, 412f, 418–419
densifolia 420
ecentrica 419
fibulata 419
galerinoides 419
gemina 417
griseola 412–, **413**, 413f, 414, 420
hygrophoroides 412f, **414**, 415f, 416, 418, 420
incarnata 411, 415f, **416**, 417–418, 417f, 420
lactariiformis 419
laeta 420
lignicola 419
mairei 414, 420
mellea 419
mundula 420
mycenoides 419
naucoria 419
nitellina 418
nuciolens 416
oenocephala 411, 418
parilis 418
pleurogena 413, 419
porcelanica 414, 420
pseudonitellina 420
rickii var. convexa 416, 420
rickii var. rickii 420
roseiavellanea 416
russularia 419–420
sect. Claudopodes 413, 419
sect. Crepidotoides 419
sect. Decurrentes 414, 420
sect. Rhodocybe 419–420
sect. Rhodophana 419
sect. Rubrobrunnea 416–417, 420
semiarboricola 420
spp. 411
testacea 420
truncata 416–418
truncata ssp. subvermicularis 417
Rhopalomyces 621
Rosellinia
bambusae 29
mutabilis 29
sp. 31
Russulaceae 418
Rutstroemia 148
Saccardoella 803, 808–809
mangrovei **803**, 804–805f, 806, 809
marinospora **806**, 807, 808–809f, 809
montellica 803
rhizophorae **806**, 807f, 809
Saccharomyces
cerevisiae 107, 146, 589, 692, 872–878
Saccobolus 459
Saprolegnia 6–7, 769, 777
sp. 587f
Saprolegniales 768, 773, 775, 777–778
Sapromyces
androgynus 768, 773
Sarawakus 31–32
brittanicus **34**, 37
fragilis **34**, 37
hexasporus **34**, 39
izawae **35**
lycogaloides 31–32, 33f, 34, 39
roseus 32, **35**, 36f, 39
sordidus **35**, 39
subg. Thuemenelladelphus 31
subtrachycarpus **35**, 37, 39
succisus 31–32, 34, 39
trachycarpus 35, **37**, 38f
Sarcosoma 261
amurense 262
globosum var. platydiscus 263
javanicum 263
platydiscus 263
thwaitesii 262
turbinatum 262
Sarcoxylon 29, 31
deightonii 28f
lycogaloides 32
phoenix 171
Schizochytrium 289, 298
aggregatum 298
Schizophyllum
commune 517, 519, 665, 820, 871–878
Sclerocystis
coremioides 523
Sclerospora
sorghi 279
Sclerotinia 148, 467
sclerotiorum 467, 469
sp. 149
trifoliorum 467–469
Sclerotiniaceae 148
Sclerotium

cepivorum 145, 148, 279–280
hydrophilum 871–878
rolfsii 41–49, 44–46f, 148, 278–281, 285, 695–703, 698–699f
sclerotiorum 148–149
Scoleconectria
cucurbitula 647
Scopulariopsis 721
brevicaulis 931–932, 934
brumptii 932
candida 931
carbonaria 932
koningii 932
Scutellinia 465
Scutellospora
arenicola 943
armeniaca **939**, 940, 941–943f, 942–943
calospora 523, 942
dipapillosa 943
dipurpurascens 942
pellucida 523, 942
sp. 939
verrucosa 943
weresubiae 943
Secotium
sp. 64
Septobasidiales 668, 675–676
Septobasidium
carestianum 675
pedicellatum 675
planum 675
Serpula
lacrymans 820
Setosphaeria
rostrata 933
Sigmoideomyces 618–622, 628, 633, 639
clathroides 621, 629, 631
dispiroides 616, 618–621, 628–629, 631, 632f, 633, 634f
divaricatus 616, 618–620, 629–630, 629–630f
spp. 617–620
Sigmoideomycetaceae 617–620, **620**, 622, 638–639
Simuliomyces
microsporus 391, 397
Sinosphaeria 645
bambusicola 647
Smittium
angustum **392**, 393–394, 393f
arvernense 385
compactum **385**, 388f
culicis 391, 395
culisetae 396
dimorphum 385
fastigatum **385**, 387, 389f
fruticosum **394**, 395f
microsporum **394**, 396f
orthocladii 385
pennelli 387
simulii 391, 396
spp. 384–385, 397
typhellum 396
Sordaria
fimicola 365, 871, 873–879
Sorodiscus
spp. 907
Sphaeria
phoenix 169
scalaris 803
Sphaeronaemella
helvellae 849–856, 851f, 854f
Sphaerosporella 464
Sphaeropsis
sapinea 656
Spicaria
clavulifera 300
Spinellus 840
spp. 620
Spizellomyces 3, 5
Spizellomycetaceae 3
Spizellomycetales 5, 191
Sporendocladia 857
Sporodiniella 620, 840
umbellata 620
Sporormiella 757
Sporothrix 861–862
Sporotrichum
virescens 921–922
Stachybotrys
atra 934
chartarum 933–934
elegans 845
Stachylina
grandispora 397
thaumaleidarum 390–391
Stagonospora 721
sacchari 722
Stemonitis
virginiensis 916
Stephensia 928
Streptomyces
orientalis 277
Stromatoneurospora
phoenix 31, 166, 169–171, 170f
Stylopage
anomala 736
Suillus 517–520, 592, 595, 727
bovinus 49, 531
granulatus 278
grevillei 531, 592–596
luteus 278
pictus 592
sp. 280
spp. 517, 519–520
spraguei 592–596
variegatus 531
Sulcaria
virens 706
Synchytrium
endobioticum 449
spp. 447
Syzygites 840
megalocarpus 620
Taeniolella 478
alta 481
breviuscula 481
exilis 481
phialosperma **478**, 479–480f, 481, 482f
Talaromyces 739

avellaneus 739
derxii 739
leycettanus 747–748
luteus 747–748
ohiensis 747–748
sect. Emersonia 747–748
sect. Talaromyces 747
sect. Thermophila 747–748
spp. 141
stipitatus 747–748
striata 739
thermophilus 747–748
udagawae 747–748
unicus **739**, 740–746f, 747–748, 748f
vermiculatus 739
Tarzetta 461
Terfezia
gennadii 927
Tetracladium
setigerum 581, 583
Thamnidiaceae 52, 61–62, 639, 834, 839
Thamnidium 61–62, 834
agglomeratum 839
amoenum 839
anomalum 834, 839
arbuscula 835
aurantiacum 839
chaetocladioides 839
ctenidium 834–840
cyaneum 840
elegans 834–840, 836–838f
fresenii 840
fulvum 840
glomeratum 840
helicostylum 840
mucoroides 840
nigricans 840
paradoxum 840
piriforme 840
repens 840
semenis 840
simplex 840
vantieghemii 835
verticellatum 834–840
Thamnocephalis 616, 618–622, 629, 633, 639
ovalispora 616–620, 622, 626–627
quadrupedata 616–622, 627–628, 628–629f, 629f
sphaerospora 618–620, **622**, 623–625f, 626–627
spp. 618
Thamnomyces
spp. 167
Thamnostylum 61
nigricans 840
piriforme 61, 840
repens 840
sp. 933
spp. 859
Thielavia
sp. 933
Thraustochytrium
proliferum 7
Thuemenella 26, 30–32
bicolor 31
brittanica 31–32, 34, 37
cubispora 26, 27–28f, 29, 167
fragilis 31–32, 34, 37
hexaspora 31, 34
hirsuta 31
izawae 32, 35
sordida 31–32, 35
Thyridiaceae 645, 647
Thyridium 645, 647
vestitum 645, 647
Torrendia
arenaria 64, **65**, 66–68f, 69–71
arenaria f. arenaria 69
arenaria f. lutescens 64, 66f, **69**, 70
pulchella 64, 67f, 69–71
Torrubiella 300, 313
clavata **306**, 308–309f
ratticaudata 300
Torulaspora
delbrueckii 872–878
Torulopsis
glabrata 517
Tracylla 537
Trametes
versicolor 49, 178, 409, 820–821, 867
Trematosphaeria 235, 757
pleurostoma 235
Tremellales 675
Trichoderma 22, 31, 365, 693, 895, 897
harzianum 687–693, 692f, 844–847, 933–934
koningii 845–846
pseudokoningii 933
reesei 687
saturnisporum 364
spp. 687, 889–891
viride 688–693
Tricholoma
spp. 264
Tricholomataceae 209
Tricholomopsis
platyphylla 178
Trichomycetes 376
Trichophaea 461, 465
Trichosporon 567
Trichosporonoides 555
australiense 555–556, 563, 565f, 566–567
madida 555–556, 561, 562f, 563, 568–569
megachiliensis 555–567, 556, **556**, 557–558f, 563, 566–567
nigrescens 555–556, 561, 563–564, 564f, 568–569
oedocephalis 555–556, 560, 563, 565f, 566–568
spathulata 555–556, 561, 562f, 563, 568
Trinacrium
gracile 798
iridis **794**, 795–797f, 798
parvispora 798
robustum 798
subtile 798
torulosum 798
Tubakia 539
Tuber
asa 928
gennadii 927
lacunosum 927–928
maculatum 347f, 929

multimaculatum 928f, **929**
murinum 347, 347f
puberulum 365
rufum var. nitidum 347–348, 348f
separans 348f, 349
texense 929
Tubeufia
cerea 921
Tylopilus
williamsii 724, 728
Tyromyces
sp. 409
Ulocladium
alternariae 931
microsporum 931
Uredinales 278, 329, 668, 673, 675–676
Uredo
eichhorniae 278, 280
Urnula 261
Urocystis
tritici 278, 280
Uromyces
appendiculatus 49, 278, 280–281, 282f, 283, 285–286
appendiculatus var. appendiculatus 329–339
dianthi 365
phaseoli 48, 278, 365
pontederiae 278, 280
rumicis 278, 280, 285
trifolii-repentis 278, 280
vignae 278, 280–281
Ustilaginales 278, 668, 673, 675–676
Ustilago
avenae 278, 280–281
cynodontis 517
maydis 193–202, 195f, 197–198f, 200–201f, 278, 676, 690
tritici 278, 281
zeae 278, 280
Valsaria 645, 647
cinnamomi 642
hypoxyloides 642
insitiva 645, 647
rehmiana 642–643
Valsonectria 645, 647
cinnamomi **642**, 645, 647, 648f, 644f646f
hypoxyloides 642–643
Varicosporium
elodeae 581, 583
giganteum 581, 583
Vermispora 798
cauveriana 798
Verticicladiella 12, 857
alacris 17, 23
Verticillium 31
dahliae 279–280
Volvariella
volvacea 821
Woronina
spp. 907
Xenogloea
eriophori 668
Xerocomus 520, 724
Xeromphalina
campanella 211–212
Xylaria
arbuscula 925
carpophila 167
frustulosa 31
kurziana 166, 169–171
lhermii 167
oxyacanthae 167
palmicola 169
persicaria 169
phoenix 169
psidii **167**, 169, 170f
ustorum 171
Xylariaceae 26, 29, 31, 757
Xylariadiscus 171
Xylariales 647
Xylobotryum 757
Xylocladium 29
Xylocoremium 29
Zignoella
pachyspora 807
scalaris 803
Zygomycota 1–2, 8
Zygorhizidium
affluens 449–450
spp. 447
Zymoxenogloea
eriophori **671**, 676

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abies
Armillaria gallica 215
ostoyae 215, 864
sinapina 215
Catathelasma imperiale 474
Geopora cooperi 124
Hymenogaster sublilacinus 351
Leptographium abietinum 14
Tuber rufum var. nitidum 347
Acacia
Mycoenterologium platysporum 328
Acer
Armillaria calvescens 215
gallica 215
ostoyae 215
Byssothecium flumineum 236
Acronicta
Hirsutella gigantea 938

Agrostis
Acremonium typhinum 432
typhinum var. bulliforme 434
Alnus
Taeniolella alta 483
Apatela
Hirsutella gigantea 938
Aphelenchoides
Hyphoderma sp. 787
Arachis
Leptosphaerulina crassiasca 241
Sclerotium rolfsii 696
Araneida
Gibellula 301
brunnea 303
mirabilis 312
Torrubiella clavata 306
Arbutus
Phellinus torulosus 824, 828
Asparagus
Fusarium moniliforme 253
proliferatum 253
subglutinans 253
Australonousia
Paramoebidium spp. 390
Baetis
Glotzia tasmaniensis 390
Paramoebidium spp. 390
Betula
Armillaria gallica 215
ostoyae 215
Phellinus cinereus 823
Boehmeria
Sclerotium rolfsii 696
Bruguiera
Halophytophthora exoprolifera 548
Cajanus
Phytophthora drechsleri f. sp. cajani 105
Canthium
Balladyna velutina 322
Echidnodella imadae 325
Capsicum
Sclerotium rolfsii 696
Caricas
Colletotrichum acutatum 164
Castanea
Phellinus torulosus 824, 828
Ceratopogonidae
Smittium simulii 391
Chironomidae
Smittium compactum 385
fastigatum 385
simulii 396
typhellum 396
Chironomus
Amoebidium australiense 381
Stachylina grandispora 397
Choristomeura
Hirsutella longicolla 937
Chrysanthemum
Sclerotium rolfsii 696
Coloburiscus
Paramoebidium bibrachium 381
Cornus
Discula destructiva 257
Phellinus torulosus 824, 828
Thuemenella cubispora 30
Crataegus
Phellinus torulosus 824
Cricotopus
Smittium angustum 392
fruticosum 394
microsporum 394
Culicidae
Smittium culicis 391, 395
simulii 396
Cypyotympana
Nomuraea viridulus 782
Dactylis
Acremonium typhinum 432
typhinum var. fasciculatum 435
Daphnia
Lagenidium giganteum 571
Deleatidium
Paramoebidium bibrachium 379
Dendrocalamus
Sarawakus succisus 34
Dianthus
Sclerotium rolfsii 696
Ephemeroptera
Paramoebidium spp. 397
Smittium culisetae 396
Erica
Phellinus torulosus 824, 828
Eriophorum
Kriegeria eriophori 668–676
Eucalyptus
Pseudotracylla dentata 534
Euphorbia
Helicoma dennisii 326
Fragaria
Colletotrichum acutatum 157
fragariae 157
gloeosporioides 157
Hyphodiscosia redicicola 113
Fusarium
Sphaeronaemella helvellae 849
Gardenia
Balladyna velutina 323
Gaultheria
Oidiodendron griseum 470–471
Gigantochloa
Sarawakus succisus 34
Heliconia
Cylindrocladium spathiphylli 813
Helminthosporium
Sphaeronaemella helvellae 849
Holcus
Acremonium typhinum 432
Homoptera
Pseudogibellula formicarum 312
Hylastes
Leptographium serpens 14
Inga
Sarawakus trachycarpus 37
Iris
Trinacrium iridis 794
Kandelia

Saccardoella marinospora 806
Kerria
Ceratocystis fimbriata 871
Laurus
Phellinus torulosus 824, 828
Leptophlebia
Bojamyces repens 387
Lilium
Sclerotium rolfsii 696
Lycopersicon
Sclerotium rolfsii 696
Mangifera
Thuemenella cubispora 30
Megachile
Trichosporonoides megachiliensis 556
Nesameletus
Paramoebidium papillatum 377
Nypa
Saccardoella marinospora 806
Oedogonium
Chytriomyces angularis 443
Olea
Phellinus torulosus 824
Oligonychus
Neozygites floridana 729
Orthocladiinae
Austrosmittium biforme 384
Orthomicus
Leptographium serpens 14
Oryza
Sclerotium rolfsii 696
Paederia
Puccinia zoysiae 87
Palaeonitella
Krispiromycees discoides 906
Lyonomyces pyriformis 906
Milleromyces rhyniensis 902
Panagrellus
Catenaria anguillulae 110
Pavetta
Balladyna velutina 323
Phytolacca
Phoma sorghina 715
Picea
Anguillospora filiformis 581
Armillaria ostoyae 215
Articulospora tetracladia 581
Catathelasma imperiale 474
Ceratocystis vesca 871
Galiella amurense 263
Geniculospora sp. 581
Geopora cooperi 124
Heliscus lugdunensis 581, 583
Leptographium abietinum 14
engelmanii 14
procerum 14
Mycocentropsora sp. 581
Ophiostoma abiocarpum 15
cucullatum 871
europhioides 15
penicillatum 15
robustum 15
Phalangispora constricta 581
Tetracladium setigerum 581
Tuber puberulum 365
Varicosporium elodeae 581
giganteum 581
Pinus
Catathelasma imperiale 474
Crumenula pinicola 656
sororia 656
Crumenulopsis atropurpurea 651
lacrimiformia 656
Elaphomyces granulatus 343
muricatus 344
Europhium aureum 871
clavigerum 871
trianacriforme 871
Gautieria magnicellaris 349
Geopora cooperi 124
Hymenogaster sublilacinus 351
Leptographium abietinum 14
lundbergii 14
procerum 14
serpens 14
terebrantis 14
truncatum 14
wageneri var. ponderosum 14
wageneri var. wageneri 14
Leucogaster rubescens 351
Ophiostoma adjuncti 15
aureum 15
clavigerum 15
huntii 15
Phellinus torulosus 823, 824, 828
Rhizopogon abietis 353
couchii 353
guzmanii 355
molligleba 356
rubescens 356
subcaerulescens 357
subgelatinosus 357
succosus 358
Platanus
Byssothecium flumineum 236
Plecoptera
Paramoebidium spp. 397
Populus
Armillaria calvescens 215
gallica 215
Byssothecium flumineum 236
Hyphoderma mutatum 823
Ophiostoma crassivaginatum 15
Prunus
Byssothecium flumineum 236
Phellinus torulosus 824, 828
Pseudotsuga
Catathelasma imperiale 474
Geopora cooperi 124
Hymenogaster sublilacinus 351
Leptographium abietinum 14
procerum 14
wageneri var. pseudotsugae 14
Ophiostoma europhioides 15
Phellinus torulosus 823
Psidium
Xylaria psidii 167
Quercus

Armillaria gallica 215
Elaphomyces granulatus 343
muricatus 344
Gautieria magnicellaris 349
Genea arenaria 344
Hydnobolites cerebriformis 345
Melanogaster variegatus 351
Octavianina asterosperma 353
Ophiostoma francke-grosmanniae 857–862
Pachyphloeus citrinus 345
virescens 345
Phellinus torulosus 824, 828
Sarawakus brittanicus 34
Tuber maculatum 347
murinum 347
rufum var. nitidum 347
separans 349
Rhizophora
Halophytophthora exoprolifera 548
Saccardoella rhizophorae 806
Robinia
Phellinus torulosus 824, 828
Salix
Phellinus igniarius 823
Sapindus
Brasiliomyces setosa 323
Scirpus
Kriegeria eriophori 668
Simuliidae
Paramoebidium spp. 397
Simuliomyces microsporus 397
Smittium culicis 396
simulii 396
Solanum
Asteridiella plebeja 322
Sonneratia
Saccardoella mangrovei 803
Sorghum
Fusarium avenaceum 453
chlamydosporum 453
compactum 453
dimerum 453
equiseti 453
graminearum 453
lateritium 453
napiforme 453
nygamai 453
oxysporum 453
proliferatum 453
sambucinum 453
semitectum 453
solani 453
sporotrichioides 453
subglutinans 453
Sclerotium rolfsii 696
Spathiphyllum
Cylindrocladium spathiphylli 810
Stevia
Sclerotium rolfsii 696
Syzygium
Ciliochorella mangiferae 325
Tanytarsus
Smittium angustum 392
microsporum 394
Tetranychus
Neozygites adjarica 729
sp. 729
Thaumaleidae
Stachylina thaumaleidarum 391
Theobroma
Thuemenella cubispora 30
Theobromae
Gibellula 300
mainsii 300
Thuja
Armillaria ostoyae 215
sinapina 215
Tilia
Schizophyllum commune 871
Trapa
Sclerotium rolfsii 696
Trifolium
Sclerotinia trifoliorum 467
Tsuga
Armillaria ostoyae 864
Catathelasma imperiale 474
Leptographium wageneri var. pseudotsugae 14
Ulmus
Armillaria calvescens 215
Umbellularia
Phellinus torulosus 824
Vaccinium
Pseudotracylla falcata 534–535
Zea
Cordella johnstonii 325
Ustilago maydis 193
Zizannia
Sclerotium hydrophilum 871